



Quiet 25kva 20kw 3 Phase Diesel Generator Enclosed 4DW92-35D FAWDE Generator

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT- FAWDE
- Certification: CE ISO
- Model Number: DE-F28
- Minimum Order Quantity: 1*20GP
- Price: USD2000-4000
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: 20kw 3 Phase Diesel Generator
- Cooling System: Water Cooled
- Engine Brand: FAWDE
- Rated Frequency: 50/60Hz
- Rated Speed: 1500/1800rpm
- Rated Voltage: 400V/230V
- Control Panel: Smartgen DSE
- Highlight: **20kw 3 Phase Diesel Generator,
25kva 3 Phase Diesel Generator,
4DW92-35D FAWDE Generator**

for more products please visit us on dellentpower.com

Product Description

Quiet 3 Phase Diesel Generator , 4DW92-35D FAWDE Generator , enclosed FAWDE Generator

Product Description

Silent 20kw/25kva Fawde Diesel Generator 4DW92-35D

Product Introduce:

Fawde China engine, we have all series from 15kva to 413kva. Fawde generator is famous as high quality. Fawde series Genset is characterized by high quality, high efficiency, low vibration and noise, smooth running, high reliability, easy handling. It widely used in national defense, telecommunications, construction site, commercial buildings, industrial and mining sites, oil fields, roads, ports, villas, banks, hospitals etc. and hot-selling to Philippine, Vietnam, Myanmar, Cambodia, Uzbekistan, Kazakhstan, Russia, Africa, etc.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

For example:

Healthcare, Data Centers, Telecommunications, Construction, Manufacturing, Oil and Gas, Military, Residential electricity.

Advantage of our Fawde diesel generator :

Fawde diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service

Higher level technical support.

Product parameters:

We have power from 10kw-3000kw,

any interesting please contact with us to quote the best price for you

Details Genset	GenSet Model	DE-F28	Type	Silent(optional open)
	Frequency (Hz)	50/60	Speed rpm	1500/1800
	Phase	3	Rated voltage	230v/380v/400v/415v
	Prime output	20kW/25kva(1500rpm)	Standby output	22kW/28kva(1500rpm)
	Cylinder	4	Cooling system	Water
	N.W (kg)	750	Size (L*W*H)mm	1900*780*1000
	Fuel Con.(L/H)	5.48	Fuel capacity tank	74.1L
	Running time (H)	8	Sound decibel	70DB-75DB
Details Engine	Brand	FAWDE		
	Model	4DW92-35D	Fuel	Diesel
	Cylinder	4	Cooling system	Water-cooling
	Cylinder arrangement	IN-LINE	Bore and Stroke(mm)	90 X 100
	Cyle	4 Staoke	Compression ratio	17:1
	Governor	Mechanical	Displacement(L)	2.54
Details Alternator	Brand	Stamford, Leroy Somer, Mecc Alte		
	Model	PI 044D/TAL-A40-C/LSA 40 VS0/ECP28 1VS4C		
	No.of bearings	1	Insulation class	H
	Wires	12	Ingress protection	IP23
	Excitation system	Shunt	Volrage	±1%
Optional single phase				
Delivery date				
Custom	30 working days after payment			

For more details please contact us

Options:

Canopy Design: including Denyo, Caterpillar, and Atlas, etc.

Alternator (AC): Stamford, Leroy Somer, Marathon, and Yihua brushless alternators TFW2 and YHG series. etc.

- 1) Brushless, 4 poles, rotation magne;
- 2) IP21-23(NEMA1) enclose is standard for all industrial alternators;
- 3) H class insulation system;
- 4) AVR self-regulated, voltage regulation rate: $\leq \pm 1\%$;
- 5) Simple installation and maintenance with easy access to terminals, rotating diodes and coupling bolts

Control panel: Manual or digital control panel(with AMF function), varies brand for option; ATS can be option

- 1) Auto start when power goes out. Auto-stop when power comes back on;
- 2) Worldwide technical support with programmable software download;
- 3) Full online documentation;
- 4) Trouble shooting symbols to assist owner on concerns with the generator.

Type: silent type with canopy to reduce the noise level and Open frame without canopy for option

Fuel tank: 8-10 hours in normal, can be custmized

FAQ For Your Reference

1. Q: What is your MOQ of this item?

A: 1 *20gp container

2. Q: What is your payment terms?

A: Price is based on FCL sale: T/T, L/C, D/P, O/A

3. Q: What is the lead time?

A: 25-30 workings days

4. Q: Where is your port of loading?

A: Fuzhou, China.

5. Q: Can I use my own brand name?

A: Yes, OEM and ODM are both supported.

6. Q: Your annual production capactiy?

Water-Cooled Genset	3,000 units
Air-Cooled Genset	100,000 units
GPU	500 units

7. Q: Available colors?

A: White, Blue, Red, Green, Yellow, Gray

8. Q: Which markets have you exported before?

A: Southeast Asia, the Middle East, Africa, Europe, North and South America, Oceania.

9. Q: Any certifications for your gensets?

A: ISO9001-2008, ISO14001-2004, CE, SASO, SONCAP, RETIE, etc.

10. Q: How is your packaging?

A: Stretching film as standard, plywood crate is optional

11. Q: The valid period of the offer?

A: 30 DAYS



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA